Carbohydrate Research, 210(1991)c5–c6
Elsevier Science Publishers B.V., Amsterdam

AUTHOR INDEX

Abbate, S., 1
Albersheim, P., 311
Alton, G., 145
Arad, S., 349
Ayoung-Chee, W., 79

Baer, H. H., 233
Barron, L. D., 39
Bernstein, M. A., 349

Conde, A., 327
Conde, C. F., 327
Conti, G., 1

Darvill, A. G., 311
Diánez, M^{a}. J., 125
Doares, S. H., 311
Duben, A. J., 13

Fernández-Bolaños, J., 125
Fernández-Bolaños Guzmán, J., 125
Ferreira, F., 255
Finch, P., 319
Fischer, H., 71
Frick, W., 71
Furneaux, R. H., 277

Galbis, J. A., 167, 327
Gan, Y., 233
Gargaro, A. R., 39
Geresh, S., 349
Gillou, L., 263
Glaser, R., 349
Goldberg, R., 263
Gómez-Guillén, M., 175

Hakomori, S., 339
Herve du Penhoat, C., 263
Hindsgaul, O., 145
Hirsch, J., 13
Hofmann, J., 71
Hricovíni, M., 13
Huang, D. -B., 89
Huang, D. -H., 247

Isaka, A., 105
Iskander, G. M., 319

Jeffrey, G. A., 89

Kaur, K. J., 145
Kenne, L., 255
Köll, P., 155
Kováč, P., 333
Kovács, J., 155
Krishna, N. R., 247

Lassaletta Simon, J. M., 175
Lee, C. C., 339
Leigh, J. A., 339
Lelievre, J., 79
Lendering, U., 155
Levery, S. B., 339
Lindberg, B., 255
Liu, H., 79
Ljevaković, Đ., 191
López-Castro, A., 125
Ludwig-Baxter, K. G., 299
Lupescu, N., 349

Mancera, M., 167, 327
Michon, V., 263

Naggi, A., 1
Nimmich, W., 255

Ogawa, S., 105

Pavliak, V., 333
Perlin, A. S., 299
Pintér, I., 155
Pinto, B. M., 199
Prat, R., 263
Pritchard, D. G., 247

Reimer, K. B., 199
Rej, R. N., 299
Rener, B. P., 247
Rodriguez, E., 167, 327
Rodríguez, S. G., 125
Roffé, I., 167, 327

Schmidt, R. R., 71
Serianni, A. S., 21, 51
Siriwardena, A. H., 319
Snyder, J. R., 21
Stevenson, T. T., 277

Takahashi, Y., 221
Tixidre, A., 199
Tomašić, J., 191
Tomić, S., 191
Treščec, A., 191
Tsuchiya, T., 221
Tvaroška, I., 13

Umezawa, H., 221
Umezawa, S., 221

Wen, Z. Q., 39
Wu, J., 51

Zhan, H., 339

Carbohydrate Research, 210(1991)C7–C9
Elsevier Science Publishers B.V., Amsterdam

SUBJECT INDEX

N-Acetylglucosaminyltransferases I and II, use in the preparative synthesis of oligosaccharides, 145
D-Allo-pyranosides and -furanosides, methyl 3-amino-3-deoxy-, synthesis, 233
3-Amino-3-deoxy-α- and -β-D-allopyranosides and -allofuranosides, synthesis of the methyl, 233
2-Amino-2-deoxy-D-glucose, structure of the intermediate products of the reaction of aryl and acyl isothiocyanates and aryl isocyanates with, 125
Analysis of sulphated galactans from red algae, chemical methods for the, 277
Analysis, glycosyl-linkage, of complex carbohydrates, an improved method for the preparation of standards for, 311
Anomerization, rates of, and tautomeric equilibria, Thorpe–Ingold effects on, for deoxygenated and alkylated furanoses, 21
Antigenic polysaccharide of *Streptococcus rattus*, structure of, 247
Arabino- and ribo-furanoses, convenient syntheses of 2,3,5-tri-*O*-benzyl *via* their allyl glycosides, 319
Aryl and acyl isothiocyanates and aryl isocyanates, structure of the intermediate products of the reaction of 2-amino-2-deoxy-D-glucose with, 125
Asparagus officinalis seeds, structural features of the cell-wall polysaccharides of, 263
Azotobacter vinelandii strain 1484, structural studies of the extracellular polysaccharide elaborated by, 255

Bergenin, X-ray analysis of the structure of, 71
Branched tri- and penta-saccharide haptens of Streptococci Group A and the preparation of synthetic antigens, synthesis and n.m.r. analysis of, 199

Characterisation of the α,α-trehalose glycosidic linkage by infrared and Raman spectroscopy in the C–H stretching region, 1
Chemically-modified heparins, sulfation of, 299
Complex carbohydrates, an improved method for the preparation of standards for glycosyl-linkage analysis of, 311
Crystal structure of stachyose hydrate, 89
Cyclic carbanates, transformation of aldoses into glycosylamine 1,2-, by reaction with potassium cyanate, 155
Cycloaddition of diazoalkanes to a D-*manno* sugar nitro-olefin, stereoselective synthesis of nitropyrazoline derivatives by 1,3-dipolar, 327
Cycloaddition of diazoalkanes to α,β-unsaturated derivatives of sugars, stereoselective synthesis of pyrazoline derivatives by 1,3-dipolar, 167

Deacylation of sugars, use of partially purified esterases from rabbit serum for the regioselective, 191
3′-Deoxy-3′-fluorokanamycin A and 3′,4′-dideoxy-3′-fluorokanamycin A, synthesis of, 221
3′,4′-Dideoxy-3′-fluorokanamycin A, synthesis of 3′-deoxy-3′-fluorokanamycin A and, 221

Esterases from rabbit serum, regioselective deacylations of sugars using partially purified, 191
Exopolysaccharide of *Rhizobium melioti* that can function in alfalfa root nodule invasion, structural analysis of a second acidic, 339

Furanoses, deoxygenated and alkylated, Thorpe–Ingold effects on tautomeric equilibria and rates of anomerization, 21

Gelatinization using differential scanning calorimetry, X-ray, and birefringence measurements, a study of starch, 79
β-D-Glucopyranose, 1,3,4,6-tetra-*O*-acetyl-2-azido-2-deoxy, and the corresponding α-glucosyl chloride, short synthesis from D-mannose, 333
Glycosidic linkage in α,α-trehalose, characterisation by infrared and Raman spectroscopy in the C–H stretching region, 1
Glycosylamine 1,2-(cyclic carbanates), transformation of aldoses into, by reaction with potassium cyanata, 155

Heparins, sulfation of chemically-modified, 299
Hydrogen bonding in the crystal structure of stachyose tetrahydrate, 89

Inosamines and -inosadiamines, *O*-methyl-, synthesis from L-quebrachitol, 105

Methyl 3-amino-3-deoxy-α- and -β-D-allopyranosides and -allofuranosides, synthesis, 233
O-Methyl-inosamines and -inosadiamines, synthesis from L-quebrachitol, 105
1-Methyl(or phenyl)-5-(penta-*O*-acetyl-D-*galacto*-pentitol-1-yl)pyrazoles, preparation by the reaction of a sugar nitroalkane with aldehyde methyl(or phenyl)hydrazones, 175

Methyl β-xylobioside, nuclear Overhauser effects and the flexibility of, 13

Nitroalkene, preparation of pyrazole *C*-nucleosides by the reaction of aldehyde methyl(or phenyl)hydrazones with a sugar, 175
Nitropyrazoline derivatives, stereoselective synthesis by 1,3-dipolar cycloaddition of diazoalkanes to a D-*manno* sugar nitro-olefin, 327
Nuclear Overhauser effects and the flexibility of saccharides: methyl β-xylobioside, 13

Oligosaccharides, use of *N*-acetylglucosaminyltransferases I and II in the preparative synthesis of, 145
Optical activity of carbohydrates, vibrational Raman, 39

D-Penturonic acids: solution studies of stable-isotopically enriched compounds by ^{1}H- and ^{13}C-n.m.r. spectroscopy, 51
Polysaccharide antigen of *Streptococcus rattus*, structure of, 247
Polysaccharide elaborated by *Azotobacter vinelandii* strain 1484, structural studies of the extracellular, 255
Polysaccharides of *Asparagus officinalis* seeds, structural features of the cell-wall, 263
Polysaccharide of *Porphyridium sp.*, structure of some sulfated sugars isolated after acid hydrolysis of the extracellular, 349
Purification of esterases from rabbit serum and their use in regioselective deacylations of sugars, partial, 191
Pyrazole *C*-nucleotides, preparation by the reaction of a sugar nitroalkene with aldehyde methyl(or phenyl)hydrazones, 175
Pyrazoline derivatives, stereoselective synthesis by 1,3-dipolar cycloaddition of diazoalkanes to α,β-unsaturated carbonyl derivatives of sugars, 167

L-Quebrachitol, synthesis of *O*-methyl-inosamines and -inosadiamines from, 105

Raman optical activity of carbohydrates, vibrational, 39
Reaction of 2-amino-2-deoxy-D-glucose with aryl and acyl isothiocyanates, and aryl isocyanates: structure of the intermediate products, 125
Red algae, chemical methods for the analysis of sulphated galactans from, 277

Stable-isotopically enriched D-penturonic acids, solution studies by ^{1}H- and ^{13}C-n.m.r. spectroscopy, 51
Stachyose tetrahydrate, a 1:1 complex of two conformers–hydrogen bonding in the crystal structure, 89
Starch gelatinization using differential scanning calorimetry, X-ray, and birefringence measurements, a study of, 79
Stereoselective synthesis of nitropyrazoline derivatives by 1,3-dipolar cycloaddition of diazoalkanes to a D-*manno* sugar nitro-olefin, 327
Stereoselective synthesis of pyrazoline derivatives by 1,3-dipolar cycloaddition of diazoalkanes to α,β-unsaturated carbonyl derivatives of sugars, 167
Streptococci Group A and the preparation of synthetic antigens, synthesis and n.m.r. analysis of branched tri- and penta-saccharide haptens of, 199
Streptococcus rattus, structure of polysaccharide antigen, 247
Structural analysis of a second acidic exopolysaccharide of *Rhizobium melioti* that can function in alfalfa root nodule invasion, 339
Structural features of the cell-wall polysaccharides of *Asparagus officinalis* seeds, 263
Structure of some sulfated sugars isolated after acid hydrolysis of the extracellular polysaccharide of *Porphyridium sp.*, a unicellular red alga, 349
Structural studies of the extracellular polysaccharide elaborated by *Azotobacter vinelandii* strain 1484, 255
Structure of bergenin, X-ray analysis of the, 71
Study of starch gelatinization using differential scanning calorimetry, X-ray, and birefringence measurements, 79
Sugars isolated after acid hydrolysis of the extracellular polysaccharide of *Porphyridium sp.*, structure of some sulfated, 349
3-Sulfate analog of heparin, formation of, 299
Sulphated galactans from red algae, chemical methods for the analysis of, 277
Syntheses of 2,3,5-tri-*O*-benzyl-arabino- and -ribo-furanoses *via* their allyl glycosides, convenient, 319
Synthesis and n.m.r. analysis of branched tri- and penta-saccharide haptens of Streptococci Group A and the preparation of synthetic antigens, 199
Synthesis of 3′-deoxy-3′-fluorokanamycin A and 3′,4′-dideoxy-3′-fluorokanamycin A, 221

Tautomeric equilibria and rates of anomerization, Thorpe–Ingold effects on, for deoxygenated and alkylated furanoses, 21
1,3,4,6-Tetra-*O*-acetyl-2-azido-2-deoxy-β-D-glucopyranose and the corresponding α-glucosyl chloride, short synthesis from D-mannose, 333

Thorpe–Ingold effects, on tautomeric equilibria and rates of anomerization for deoxygenated and alkylated furanoses, 21
Transformation of aldoses into glycosylamine 1,2-(cyclic carbanates) by reaction with potassium cyanata, 155
α,α-Trehalose glycosidic linkage, characterisation by infrared and Raman spectroscopy in the C–H stretching region, 1
Tri-*O*-benzyl-arabino- and -ribo-furanoses, convenient syntheses of 2,3,5-, *via* their allyl glycosides, 319
Use of *N*-acetylglucosaminyltransferases I and II in the preparative synthesis of oligosaccharides, 145
Vibrational Raman optical activity of carbohydrates, 39
X-Ray analysis of the structure of bergenin, 71
Xylobioside, nuclear Overhauser effects and the flexibility of methyl β-, 13